



[www.josoo cooler.com](http://www.josoo cooler.com)

# JOSOO COOLERS Catalogue 2023

# Josoo Brief



Founded: **In 2007**      Factory Area (m<sup>2</sup>): **25000+**

Employees: **200-300+**

Prod. Capacity (pcs/month): **6000+** (Coolers) , \* **100K+** (Rice Cookers, etc. ) ,

## Certificates:



## Awards:

- " Zhongshan Quality Benchmarking Enterprise 中山市质量标杆企业 "--2021
- "Top 1000 Growth Enterprises of Guangdong Innovation Benchmarking Enterprises 广东省创新标杆企业成长百强企业 "--2020
- "Guangdong Specialized And Sophisticated Enterprises 广东省专精特新中小企业 "--2020
- "National High-tech Enterprise 国家高新技术企业 "--2018



# Josoo Culture

让世界听到我们的掌声!  
Let the world hear our JOSOO!

愿景  
Vision

努力成为中国制造的骄傲  
Strive to be the pride of Made In China

使命  
Mission

为客户提供满意的优质产品和服务  
To provide clients with quality products and satisfactory service

价值观  
Core Values

品质第一, 拥抱变化, 创新, 乐趣, 做人, 成果  
Quality First, Embracing Change, Be Innovative,  
Enjoy Your Job and Life, Be A Good Man, Result-oriented


# Josoo Facilities



# Collection



# Josoo Coolers Product Line



## Wine Coolers | Free Standing | Retro Series

ZS-A78  
Red



**Wine Coolers** | Free Standing | Retro | **ZS-A48**



■ **Finish Available:**

ZS-A48 Red

ZS-A48 White



■ **Performance**

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **G/39**;
- Temp.Range: 5–20°C ;

■ **Capacity**

- Storage Capacity (750ml): **15 Bottles**;
- Net Capacity: 45L;
- Unit Size: **W366xD476xH743mm**;
- Humidity Range: 50%-80%RH;

■ **Common Features:**

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ **Packing/Loading :**

- Packing Size: W416xD531xH795m;
- 20'GP/40'HQ (pcs) : 140/348


■ **Features**

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: ABS/Retro/2-Layer, Tempered Clear Glass;
- Reversible Door: N/A;
- Handle Type: Handleless;
- Shelf: 3 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Red/White/N/A;
- Certificates: CB/CE/RoHS/REACH

■ **Extra Options:**

- Lock & Key: N/A;
- Carbon Filter: Option;

■ **Bottle Loading Drawing:**





**Wine Coolers** | Free Standing | Retro | **ZS-A58**

F



■ **Finish Available:**

ZS-A58 Red

ZS-A58 White

ZS-A58 Wooden-like



■ **Performance**

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **F/37**;
- Temp.Range: 5–20°C ;

■ **Capacity**

- Storage Capacity (750ml): **21 Bottles**;
- Net Capacity: 60L;
- Unit Size: **W366xD476xH928mm**;
- Humidity Range: 50%-80%RH;

■ **Common Features:**

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ **Packing/Loading :**

- Packing Size: W416xD531xH980mm;
- 20'GP/40'HQ (pcs) : 112/280


■ **Features**

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: ABS/Retro/3-Layer, Tempered Clear Glass, Single Low-E;
- Reversible Door: N/A;
- Handle Type: Handleless;
- Shelf: 5 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Red/White/N/A;
- Certificates: CB/CE/RoHS/REACH

■ **Extra Options:**

- Lock & Key: N/A;
- Carbon Filter: Option;

■ **Bottle Loading Drawing:**



**Wine Coolers** | Free Standing | Retro | **ZS-A78**



■ **Finish Available:**

ZS-A78 Red



ZS-A78 White



■ **Performance**

- Temp.Zone: Single Zone;
- ERP Class/Noise(dB(A)): **G/39**;
- Temp.Range: 5–20°C ;

■ **Capacity**

- Storage Capacity (750ml): **30 Bottles**;
- Net Capacity: 90L;
- Unit Size: **W366xD476xH1205mm**;
- Humidity Range: 50%-80%RH;

■ **Common Features:**

- Foaming Agent/Refrigerant: C-Pentane/R600a;
- Control Type/Memory: Touch Control/ Yes;
- UV-Proof Glass: Yes, °C / °F Switch: Yes;
- Defrost Type: Auto-defrost;
- Climate Type: SN, N, ST;
- 100% CFC/HFC Free

■ **Packing/Loading :**

- Packing Size: W416xD531xH1257 mm;
- 20'GP/40'HQ (pcs) : 92/232


■ **Features**

- Cooling System: Comp./Fan Cooling;
- Compressor: Huayi;
- Air Ventilation: By Both Side;
- Door Frame/Glass: ABS/Retro/2-Layer, Tempered Clear Glass;
- Reversible Door: N/A;
- Handle Type: Handleless;
- Shelf: 8 Beech Shelves;
- Display: Blue/White LED Display;
- Lighting: White On Top;
- Winter Care: N/A;
- Cabinet/Plinth Vent Grille Color:Black/Red/White/N/A;
- Certificates: CB/CE/RoHS/REACH

■ **Extra Options:**

- Lock & Key: N/A;
- Carbon Filter: Option;

■ **Bottle Loading Drawing:**



# Handle Options



LS01 (490mm)



LS02 (490mm)



LS03 (490mm)



LS04 (870mm)



LS05 (490mm)



LS06 (490mm)



LS07 (490mm)



LS08 (490mm)



JOSOO



JOSOO

ZHONGSHAN JOSOO ELECTRIC APPLIANCE CO.,LTD.

No.9, Qiye North Road, Maxin Industry Zone, Huangpu Town, Zhongshan City, Guangdong, China

0760-23309226

0760-23309225

sales@josoo.com.cn

www.josoo cooler.com